

SCRAP QUILTS

NOT FOR RESALE



Krista Moser
The Quilted Life

35" X 35"


CUTTING INSTRUCTIONS

(All strips are cut selvage to selvage or width of fabric, unless otherwise marked.)


3x

From background fabric, cut three 61/2" x WOF strips.

CUTTING THE BACKGROUND TRIANGLES



- **1.** Keep the background strips folded, and cut the selvage end off straight. Line the ruler up with the $6\frac{1}{2}$ " triangle line along the bottom edge and the left/center dashed line down the cut end of the strip. Cut along the right edge of the ruler, then rotate the ruler 180° to make a full triangle cut.
- 2. Unfold the leftover center section of the three strips to get one last triangle cut from each. You should have 6 half triangle end cap pieces (3 right & 3 left) and (27) 6½" background triangles.




3x 27x 3x


page 2

kristamoser.com


CUTTING THE SCRAP TRIANGLES



3. For the scrappy pieced triangles, you will need to sew scrap strips or scrap pieces together to make a piece that is at least $6\frac{1}{2}$ " x $7\frac{1}{2}$ " wide. This will get you one triangle cut.




4. If you have strips sets that are longer, you will get many more cuts by lining up the 6½" triangle line along one edge. Trim on both sides of the ruler, then rotate the ruler 180° to get the next cut.




5. Use the end pieces to fill in the edges in the final assembly (these are cut just like the end pieces from the background strips in step 1).


You will need 3 mirror image sets of half triangle end pieces and (27) 6½" scrappy pieced triangles.



6. Arrange the background triangles and pieced triangles into six rows, as shown.




7. Sew the rows together, one block at a time, pressing the seams between each block open before adding the next block.




kristamoser.com

FINAL ASSEMBLY



8. Sew the rows together, and press those seams open. Sew a staystitch 1/8" from the outside edge, all the way around the quilt, to secure the edge before quilting.



FABRIC REQUIREMENTS

- 5/8 yd background fabric
- 1/3 yd binding fabric
- 11/4 yd backing fabric
- · Lots and lots of scraps for triangle blocks

TOOLS

Creative Grids Non-Slip Large 60° Diamond Ruler by Krista Moser



Large

